10FT X 8FT WIND & WATERTIGHT STEEL STORAGE CONTAINER – USED, FORKLIFT-FRIENDLY

10FT CONTAINERS

CX-CID-A097A7 · SKU GCL10FT-WW · Used · Nov 16, 2026



OVERVIEW

Every 10ft unit in this class is built around a welded frame of corten weathering steel, the same alloy used across global shipping fleets for its resistance to rust creep. Corrugated corten panels form the walls and die-stamped sheet forms the roof, all continuously welded to the frame. Underfoot, marine-grade plywood flooring sits on steel cross members, rated for forklift traffic. Double cargo doors swing on heavy hinges and seal against rubber gaskets to keep weather out.

For contractors, the 10ft x 8ft Wind & Watertight Steel Storage Container – Used, Forklift-Friendly becomes the lockup that moves from job to job. Gang boxes, cords and consumables stay staged at the site instead of riding back and forth in trucks every night.

PRODUCT GALLERY

FIG. 1



FIG. 2



PRIMARY USES

- Event and festival gear storage between seasons
- Base shell for a workshop, hobby space or future conversion
- Staging exports and one-way freight loads
- Weather-tight shelter for ATVs, mowers and seasonal vehicles
- Emergency and disaster-readiness supply caching
- Document and records archiving away from the main office

KEY FEATURES

- ISO corner castings for lifting, stacking and tie-down
- Fork pockets on most 20ft units for easy repositioning
- Full-perimeter door gaskets for a weather-tight seal
- Stack-rated structure proven in ocean service
- Marine-grade factory paint system
- Passive wall vents that cut interior condensation
- Double swing cargo doors that open a full 270 degrees

BENEFITS

- Far faster to place than stick-built storage of the same footprint
- Relocatable if your site or needs change
- Stackable where yard space is tight
- Hardened steel shell that resists break-ins and rodents
- Ground-level access with no loading dock required
- Standard 10ft footprint makes planning and permitting discussions simple

INDUSTRIES SERVED

- Retail
- Logistics
- Manufacturing
- Agriculture
- Events
- Municipal
- Education
- Construction

SPECIFICATIONS AT A GLANCE

CONTAINER ID	CX-CID-A097A7
SKU	GCL10FT-WW
CATEGORY	10ft Containers
CONDITION	Used
CONTAINER TYPE	Wind & Watertight
SIZE	10ft x 8ft
MATERIAL	Cor-Ten Steel / Marine-Grade
INTERIOR FLOOR	25mm Marine Plywood / Steel Floor Available
EXTERIOR DIMENSIONS (NOMINAL)	10'0" × 8'0" × 8'6"
FLOOR AREA (NOMINAL)	80 sq ft

Full specifications and a dimensional drawing are on this unit's Specification Sheet, available on the product page.

SITE PREPARATION CHECKLIST

- Grade so water sheds away from the container, not under it
- Choose a spot with firm, level, well-drained ground
- Leave swing room in front of the cargo doors, about 6 ft
- Check for low wires, branches and eaves along the approach
- Confirm a straight run of clear access for the delivery truck
- Lay railroad ties, blocks or compacted gravel at the corner points

DELIVERY NOTES

- The truck needs roughly 12 ft of clear width along the approach
- Allow at least 14 ft of overhead clearance for wires and branches
- Tilt-bed placement needs a straight run of about twice the container length
- Have someone 18 or older on site to confirm placement and sign

DOCUMENT CONTROL

DOCUMENT ID	CX-BR-A097A7-2026
REVISION	1.0
ISSUE DATE	November 16, 2026
CLASSIFICATION	Technical Specification - Customer Reference

Ready to order or need a custom quote?

(717) 491-6518 · sales@containexco.com · containexco.com