
20FT OPEN SIDE/ FULL SIDE ACCESS CONTAINER

20FT CONTAINERS

CX-CID-7F44A0 · SKU CX-C4175721 · Nov 16, 2026



OVERVIEW

This 20ft Containers unit uses the proven ISO box recipe: a corten steel frame with corrugated steel wall and roof panels welded into a single rigid shell. The floor is marine-grade plywood screwed down over steel cross members, so pallet jacks and loaded carts roll without flex. Cargo doors at one end carry lockrod hardware and full-perimeter gaskets, and corner castings at all eight corners allow crane lifting and tie-down. A quality-checked unit will show cosmetic wear consistent with its grade, which we describe honestly before you buy.


Businesses treat a 20ft unit as square footage on demand: overflow stock, seasonal fixtures, tool cribs and site records all stay secure and dry without a lease or a build-out.

PRODUCT GALLERY

FIG. 1



FIG. 2



PRIMARY USES

- Staging exports and one-way freight loads
- Event and festival gear storage between seasons
- Emergency and disaster-readiness supply caching
- Secure jobsite storage for tools, fasteners and power equipment
- Document and records archiving away from the main office
- Overflow inventory space behind a retail store or warehouse

KEY FEATURES

- Forklift-rated marine plywood floor
- Passive wall vents that cut interior condensation
- Double swing cargo doors that open a full 270 degrees
- Fork pockets on most 20ft units for easy repositioning
- Marine-grade factory paint system
- Stack-rated structure proven in ocean service
- ISO corner castings for lifting, stacking and tie-down

BENEFITS

- Holds resale value better than most portable buildings
- Relocatable if your site or needs change
- Usable the same day it comes off the truck
- Ground-level access with no loading dock required
- Wind and water tight when doors are closed and latched
- Standard 20ft footprint makes planning and permitting discussions simple

INDUSTRIES SERVED

- Construction
- Municipal
- Retail
- Events
- Logistics
- Education
- Manufacturing
- Agriculture

SPECIFICATIONS AT A GLANCE

CONTAINER ID	CX-CID-7F44A0
SKU	CX-C4175721
CATEGORY	20ft Containers
EXTERIOR DIMENSIONS (NOMINAL)	20'0" × 8'0" × 8'6"
FLOOR AREA (NOMINAL)	160 sq ft
PRICE	$4,100.00
AVAILABILITY	In stock - ready to ship

Full specifications and a dimensional drawing are on this unit's Specification Sheet, available on the product page.

SITE PREPARATION CHECKLIST

- Leave swing room in front of the cargo doors, about 6 ft
- Confirm a straight run of clear access for the delivery truck
- Lay railroad ties, blocks or compacted gravel at the corner points
- Grade so water sheds away from the container, not under it
- Choose a spot with firm, level, well-drained ground
- Check for low wires, branches and eaves along the approach

DELIVERY NOTES

- The truck needs roughly 12 ft of clear width along the approach
- Allow at least 14 ft of overhead clearance for wires and branches
- Tilt-bed placement needs a straight run of about twice the container length
- Have someone 18 or older on site to confirm placement and sign

DOCUMENT CONTROL

DOCUMENT ID	CX-BR-7F44A0-2026
REVISION	1.0
ISSUE DATE	November 16, 2026
CLASSIFICATION	Technical Specification - Customer Reference

Ready to order or need a custom quote?

(717) 491-6518 · sales@containexco.com · containexco.com