GRADE A STANDARD 20FT SHIPPING CONTAINER

USED SHIPPING CONTAINERS

CX-CID-064158 · SKU d88518acbcc3 · Nov 16, 2026



OVERVIEW

Every 20ft unit in this class is built around a welded frame of corten weathering steel, the same alloy used across global shipping fleets for its resistance to rust creep. Corrugated corten panels form the walls and die-stamped sheet forms the roof, all continuously welded to the frame. Underfoot, marine-grade plywood flooring sits on steel cross members, rated for forklift traffic. Double cargo doors swing on heavy hinges and seal against rubber gaskets to keep weather out.

Businesses treat a 20ft unit as square footage on demand: overflow stock, seasonal fixtures, tool cribs and site records all stay secure and dry without a lease or a build-out.

PRODUCT GALLERY

FIG. 1




FIG. 2



PRIMARY USES

- Parts, tires and fluids storage for fleet operations
- Emergency and disaster-readiness supply caching
- Event and festival gear storage between seasons
- Overflow inventory space behind a retail store or warehouse
- Weather-tight shelter for ATVs, mowers and seasonal vehicles
- Secure jobsite storage for tools, fasteners and power equipment

KEY FEATURES

- Marine-grade factory paint system
- Stack-rated structure proven in ocean service
- Lockrod handles with padlock-ready hasps
- Fork pockets on most 20ft units for easy repositioning
- ISO corner castings for lifting, stacking and tie-down
- Forklift-rated marine plywood floor
- Double swing cargo doors that open a full 270 degrees

BENEFITS

- Wind and water tight when doors are closed and latched
- Decades of service life with only basic upkeep
- Ground-level access with no loading dock required
- Far faster to place than stick-built storage of the same footprint
- Relocatable if your site or needs change
- Usable the same day it comes off the truck

INDUSTRIES SERVED

- Municipal
- Agriculture
- Logistics
- Manufacturing
- Construction
- Retail
- Events
- Education

SPECIFICATIONS AT A GLANCE

CONTAINER ID	CX-CID-064158
SKU	d88518acbcc3
CATEGORY	Used Shipping Containers
EXTERIOR DIMENSIONS (NOMINAL)	20'0" × 8'0" × 8'6"
FLOOR AREA (NOMINAL)	160 sq ft
PRICE	$3,280.00
AVAILABILITY	In stock - ready to ship

Full specifications and a dimensional drawing are on this unit's Specification Sheet, available on the product page.

SITE PREPARATION CHECKLIST

- Grade so water sheds away from the container, not under it
- Leave swing room in front of the cargo doors, about 6 ft
- Check for low wires, branches and eaves along the approach
- Confirm a straight run of clear access for the delivery truck
- Choose a spot with firm, level, well-drained ground
- Lay railroad ties, blocks or compacted gravel at the corner points

DELIVERY NOTES

- The truck needs roughly 12 ft of clear width along the approach
- Allow at least 14 ft of overhead clearance for wires and branches
- Tilt-bed placement needs a straight run of about twice the container length
- Have someone 18 or older on site to confirm placement and sign

DOCUMENT CONTROL

DOCUMENT ID	CX-BR-064158-2026
REVISION	1.0
ISSUE DATE	November 16, 2026
CLASSIFICATION	Technical Specification - Customer Reference

Ready to order or need a custom quote?

(717) 491-6518 · sales@containexco.com · containexco.com