USED 20FT OPEN SIDE SHIPPING CONTAINER – FULL SIDE ACCESS STEEL STORAGE UNIT

OPEN TOP SHIPPING CONTAINERS

CX-CID-7B9707 · SKU 0c6b6f19684e · Used · Nov 16, 2026



OVERVIEW

The Used 20ft Open Side Shipping Container – Full Side Access Steel Storage Unit is engineered for top loading: the side and end walls are full container strength, while the roof is a lash-down tarp over removable steel bows. Lashing cleats and tarp hooks line the top rails. Because the structure loses its steel roof diaphragm, the upper side rails are built heavier to keep the frame rigid. On a used unit we check wall integrity, floor, doors and the tarp-bow set before it ships.

Recyclers and demolition crews load a 20ft open top straight from the excavator bucket, then ship the full box out by normal container freight, no transloading.

PRODUCT GALLERY



PRIMARY USES

- Glass, stone and slab transport with top rigging
- On-site skip-style collection with secure sides
- Shipping tall fabrications, tanks and vessels
- Storing tall items loaded by overhead hoist
- Industrial waste staging with a removable cover
- Loading timber and logs from above

KEY FEATURES

- ISO corner castings for crane and spreader handling
- Forklift-rated marine plywood floor
- Tarp replaceable as a standard wear item
- Full-width top opening with removable roof bows
- Swing-away or removable rear door header on most units
- Reinforced upper side rails for frame rigidity
- Corten steel walls for abrasive, heavy loads

BENEFITS

- Standard cargo doors remain for ground-level loading too
- ISO corners keep it compatible with normal container handling
- Swing-out door header on many units clears the full opening
- Takes over-height cargo a standard 20ft box refuses
- Tarp system closes the load back to weather-resistant
- A used open top is a workhorse priced well under new

INDUSTRIES SERVED

- Scrap and recycling
- Agriculture
- Manufacturing
- Energy
- Stone and glass
- Forestry
- Heavy construction
- Waste management

SPECIFICATIONS AT A GLANCE

CONTAINER ID	CX-CID-7B9707
SKU	0c6b6f19684e
CATEGORY	Open Top Shipping Containers
SIZE	20ft
WIDTH	8ft
HEIGHT	8ft 6in
CONDITION	Used
MATERIAL	Corten steel
CONTAINER TYPE	Open side / Full side access
DOOR TYPE	End doors / Side opening doors

Full specifications and a dimensional drawing are on this unit's Specification Sheet, available on the product page.

SITE PREPARATION CHECKLIST

- Plan tarp handling room along one side for covering and uncovering
- If crane loading on site, confirm ground bearing for crane outriggers
- Grade for drainage so the pad stays firm under heavy loads
- Prepare a firm, level pad with blocking at the corner castings
- Keep overhead space clear above the container for top loading
- Clear a straight tilt-bed approach roughly twice the unit length

DELIVERY NOTES

- Standard container truck access: about 12 ft wide along the approach
- At least 14 ft of overhead clearance for the loaded truck
- Tilt-bed placement needs a straight, firm run near twice the unit length
- Have someone on site to position the door end and sign for the unit

DOCUMENT CONTROL

DOCUMENT ID	CX-BR-7B9707-2026
REVISION	1.0
ISSUE DATE	November 16, 2026
CLASSIFICATION	Technical Specification - Customer Reference

Ready to order or need a custom quote?

(717) 491-6518 · sales@containexco.com · containexco.com